

STATE OF FLORIDA
DEPARTMENT OF HEALTH
COUNTY HEALTH DEPARTMENT
FOOD SERVICE
INSPECTION REPORT



Facility Information

RESULT: Satisfactory

Permit Number: 13-48-02412
 Name of Facility: Hadley, Charles R. Elementary/ Loc.# 2331
 Address: 8400 NW 7 Street
 City, Zip: Miami 33126

Type: School (more than 9 months)
 Owner: M-DCSB Food and Nutrition
 Person In Charge: M-DCSB Food and Nutrition Phone: (786) 275-0400
 PIC Email:

Inspection Information

Purpose: Routine	Number of Risk Factors (Items 1-29): 2	Begin Time: 10:30 AM
Inspection Date: 10/6/2022	Number of Repeat Violations (1-57 R): 2	End Time: 11:30 AM
Correct By: Next Inspection	Facility Grade: N/A	
Re-Inspection Date: None	StopSale: No	

Marking Key: IN=the act or item was observed to be in compliance; OUT=the act or item was observed to be out of compliance; NO=the act or item was not observed to be occurring at the time of inspection; NA=the act or item is not performed by the facility; COS=violation corrected on site; R=repeat violation from previous inspection

FoodBorne Illness Risk Factors And Public Health Interventions

SUPERVISION

- IN** 1. Demonstration of Knowledge/Training
- IN** 2. Certified Manager/Person in charge present

EMPLOYEE HEALTH

- IN** 3. Knowledge, responsibilities and reporting
- IN** 4. Proper use of restriction and exclusion
- IN** 5. Responding to vomiting & diarrheal events

GOOD HYGIENIC PRACTICES

- IN** 6. Proper eating, tasting, drinking, or tobacco use
- IN** 7. No discharge from eyes, nose, and mouth

PREVENTING CONTAMINATION BY HANDS

- IN** 8. Hands clean & properly washed
- IN** 9. No bare hand contact with RTE food

- OUT** 10. Handwashing sinks, accessible & supplies (COS)

APPROVED SOURCE

- IN** 11. Food obtained from approved source
- NO** 12. Food received at proper temperature
- IN** 13. Food in good condition, safe, & unadulterated
- NA** 14. Shellstock tags & parasite destruction

PROTECTION FROM CONTAMINATION

- IN** 15. Food separated & protected; Single-use gloves

- IN** 16. Food-contact surfaces; cleaned & sanitized

- IN** 17. Proper disposal of unsafe food

TIME/TEMPERATURE CONTROL FOR SAFETY

- IN** 18. Cooking time & temperatures
- IN** 19. Reheating procedures for hot holding
- IN** 20. Cooling time and temperature

- OUT** 21. Hot holding temperatures (COS)

- IN** 22. Cold holding temperatures

- IN** 23. Date marking and disposition

- NA** 24. Time as PHC; procedures & records

CONSUMER ADVISORY

- NA** 25. Advisory for raw/undercooked food

HIGHLY SUSCEPTIBLE POPULATIONS

- IN** 26. Pasteurized foods used; No prohibited foods

ADDITIVES AND TOXIC SUBSTANCES

- IN** 27. Food additives: approved & properly used
- IN** 28. Toxic substances identified, stored, & used

APPROVED PROCEDURES

- NA** 29. Variance/specialized process/HACCP

Inspector Signature:

CM

Client Signature:

John Schwa

STATE OF FLORIDA
DEPARTMENT OF HEALTH
COUNTY HEALTH DEPARTMENT
FOOD SERVICE
INSPECTION REPORT



Good Retail Practices

SAFE FOOD AND WATER

- IN 30. Pasteurized eggs used where required
- IN 31. Water & ice from approved source
- NA 32. Variance obtained for special processing

FOOD TEMPERATURE CONTROL

- IN 33. Proper cooling methods; adequate equipment
- IN 34. Plant food properly cooked for hot holding
- NO 35. Approved thawing methods
- IN 36. Thermometers provided & accurate

FOOD IDENTIFICATION

- OUT 37. Food properly labeled; original container (**COS**)

PREVENTION OF FOOD CONTAMINATION

- IN 38. Insects, rodents, & animals not present
- IN 39. No Contamination (preparation, storage, display)
- IN 40. Personal cleanliness
- IN 41. Wiping cloths: properly used & stored
- IN 42. Washing fruits & vegetables

PROPER USE OF UTENSILS

- IN 43. In-use utensils: properly stored
- IN 44. Equipment & linens: stored, dried, & handled
- IN 45. Single-use/single-service articles: stored & used

- IN 46. Slash resistant/cloth gloves used properly

UTENSILS, EQUIPMENT AND VENDING

- OUT 47. Food & non-food contact surfaces (**R**)
- IN 48. Ware washing: installed, maintained, & used; test strips
- IN 49. Non-food contact surfaces clean

PHYSICAL FACILITIES

- IN 50. Hot & cold water available; adequate pressure
- IN 51. Plumbing installed; proper backflow devices
- IN 52. Sewage & waste water properly disposed
- IN 53. Toilet facilities: supplied, & cleaned
- OUT 54. Garbage & refuse disposal
- IN 55. Facilities installed, maintained, & clean
- OUT 56. Ventilation & lighting (**R**)
- IN 57. Permit; Fees; Application; Plans

This form serves as a "Notice of Non-Compliance" pursuant to section 120.695, Florida Statutes. Items marked as "out" violate one or more of the requirements of Chapter 64E-11, the Florida Administrative Code or Chapter 381.0072, Florida Statutes. Violations must be corrected within the time period indicated above. Continued operation of this facility without making these corrections is a violation. Failure to correct violations in the time frame specified may result in enforcement action being initiated by the Department of Health.

Inspector Signature:

CM

Client Signature:

John Schwa

STATE OF FLORIDA
DEPARTMENT OF HEALTH
COUNTY HEALTH DEPARTMENT
FOOD SERVICE
INSPECTION REPORT



Violations Comments

<p>Violation #10. Handwashing sinks, accessible & supplies Observed paper towels outside the dispenser. Place paper towels inside the dispenser. COS. CODE REFERENCE: 64E-11.003(5)(d). Handwashing sinks are properly equipped with hand soap, individual disposable towels or hand drying device, and signage; and conveniently located.</p>
<p>Violation #21. Hot holding temperatures Observed rice at 115°F at the serving line. Remove rice and place in the oven to reach 135°F. or above.COS. CODE REFERENCE: 64E-11.003(2). PHF/TCS foods, which are held hot and not subject to an approved HACCP plan, must be maintained at 135°F.</p>
<p>Violation #37. Food properly labeled; original container Observed food container with sugar and salt without label. Provide label to containers. COS. CODE REFERENCE: 64E-11.003(2). Food or food ingredients removed from their original packages shall be identified with their common name unless unmistakably recognized.</p>
<p>Violation #47. Food & non-food contact surfaces Observed gas oven PC 1004108 is out of order. Repair gas oven. Observed ice machine leaking in the bottom. Repair ice machine leaks. CODE REFERENCE: 64E-11.003(4). Equipment and utensils must be properly designed, constructed, and in good repair.</p>
<p>Violation #54. Garbage & refuse disposal Observed 2 garbage dumpster leaking in the bottom due corrosion. Replace garbage dumpsters. Observed shopping carts around dumpsters. Remove shopping carts and clean the outside area around the dumpsters. CODE REFERENCE: 64E-11.003(5). Garbage shall be disposed of to prevent vector harborage. Trash cans will be durable, cleanable, leak proof, insect and rodent resistant, and non-absorbent. Outside storage area shall be of a smooth, non-absorbent material and sloped to a drain.</p>
<p>Violation #56. Ventilation & lighting Observed light fixtures in Walk-in cooler and Walk-in freezer unable to achieve required light intensities. The light intensity measure is 6 foot candles. Provide lights to Walk-in cooler and freezer. Observed a/c vent leak due condensation by food preparation area. Repair a/c system. CODE REFERENCE: 64E-11.003(6)(a). Adequate exhaust ventilation hood systems in food prep and warewashing areas shall be provided and designed. 50 foot candles shall be at surfaces where employees work with food and 20 foot candles shall be at surfaces where food is provided to consumers.</p>

Inspector Signature:

CM

Client Signature:

John Schwa

STATE OF FLORIDA
DEPARTMENT OF HEALTH
COUNTY HEALTH DEPARTMENT
FOOD SERVICE
INSPECTION REPORT



General Comments

Inspection report emailed to Jordana Schneider on 10/06/2022.

Digital thermometer model DPP400W was used during the inspection.

Temperatures taken:

Handwashing sink:112°F.

Three compartment sink:113°F.

Mop sink: 115°F.

Walk-in refrigerator:37°F.

Walk-in freezer:-5°F.

Reach-in refrigerator:36°F.

White rice: 145°F.

Oriental rice: 148°F.

Chicken patties: 152°F.

Tequenos: 149°F.

Milk: 39°F.

Sanitize solution: 200 ppm.

Email Address(es): jschneider@dadeschools.net;
308056@dadeschools.net;
jaybolton@dadeschools.net;
jware@dadeschools.net;
ipalacio@dadeschools.net

Inspection Conducted By: Cesar Martinez (085423)
Inspector Contact Number: Work: (305) 623-3500 ex.
Print Client Name:
Date: 10/6/2022

Inspector Signature:

CM

Client Signature:

Jordan Schneider