

Facility Information

RESULT: Satisfactory

Permit Number: 13-48-02412 Name of Facility: Hadley, Charles R. Elementary/ Loc.# 2331 Address: 8400 NW 7 Street City, Zip: Miami 33126

Type: School (more than 9 months) Owner: MDCPS Person In Charge: Belkys Garcia PIC Email: 308056@dadeschools.net

Inspection Information

Purpose: Routine Inspection Date: 4/5/2024 Correct By: Next Inspection **Re-Inspection Date: None** Number of Risk Factors (Items 1-29): 0 Number of Repeat Violations (1-57 R): 0 FacilityGrade: N/A StopSale: No Begin Time: 08:30 AM End Time: 09:30 AM

Marking Key: IN=the act or item was observed to be in compliance; OUT=the act or item was observed to be out of compliance; NO=the act or item was not observed to be occurring at the time of inspection; NA=the act or item is not performed by the facility; COS=violation corrected on site; R=repeat violation from previous inspection

FoodBorne Illness Risk Factors And Public Health Interventions

SUPERVISION

- IN 1. Demonstration of Knowledge/Training
- N 2. Certified Manager/Person in charge present EMPLOYEE HEALTH
- IN 3. Knowledge, responsibilities and reporting
- IN 4. Proper use of restriction and exclusion
- N 5. Responding to vomiting & diarrheal events GOOD HYGIENIC PRACTICES
- IN 6. Proper eating, tasting, drinking, or tobacco use
- IN 7. No discharge from eyes, nose, and mouth PREVENTING CONTAMINATION BY HANDS IN 8. Hands clean & properly washed
- IN 9. No bare hand contact with RTE food
- 10. Handwashing sinks, accessible & supplies
 APPROVED SOURCE
- IN 11. Food obtained from approved source
- NO 12. Food received at proper temperature
- IN 13. Food in good condition, safe, & unadulterated
- NA 14. Shellstock tags & parasite destruction

PROTECTION FROM CONTAMINATION

IN 15. Food separated & protected; Single-use gloves

- IN 16. Food-contact surfaces; cleaned & sanitized
- IN 17. Proper disposal of unsafe food TIME/TEMPERATURE CONTROL FOR SAFETY
- NO 18. Cooking time & temperatures
- NO 19. Reheating procedures for hot holding
- NO 20. Cooling time and temperature
- IN 21. Hot holding temperatures IN 22. Cold holding temperatures
- N 23. Date marking and disposition
- NA 24. Time as PHC; procedures & records CONSUMER ADVISORY
- NA 25. Advisory for raw/undercooked food HIGHLY SUSCEPTIBLE POPULATIONS
- IN 26. Pasteurized foods used; No prohibited foods ADDITIVES AND TOXIC SUBSTANCES
- N 27. Food additives: approved & properly used
- N 28. Toxic substances identified, stored, & used APPROVED PROCEDURES
- NA 29. Variance/specialized process/HACCP

| Inspector Signature: | | | Client Signature: |
|----------------------|-------|-------------|---|
| CM | | | rex |
| Form Number: DH 4023 | 03/18 | 13-48-02412 | Hadley, Charles R. Elementary/ Loc.# 2331 |



Good Retail Practices

SAFE FOOD AND WATER

- IN 30. Pasteurized eggs used where required
- IN 31. Water & ice from approved source
- NA 32. Variance obtained for special processing
- FOOD TEMPERATURE CONTROL
- IN 33. Proper cooling methods; adequate equipment
- IN 34. Plant food properly cooked for hot holding
- NO 35. Approved thawing methods
- IN 36. Thermometers provided & accurate FOOD IDENTIFICATION
- N 37. Food properly labeled; original container **PREVENTION OF FOOD CONTAMINATION**
- **IN** 38. Insects, rodents, & animals not present
- IN 39. No Contamination (preparation, storage, display)
- IN 40. Personal cleanliness
- IN 41. Wiping cloths: properly used & stored
- IN 42. Washing fruits & vegetables
 - PROPER USE OF UTENSILS
- 43. In-use utensils: properly stored
- IN 44. Equipment & linens: stored, dried, & handled
- N 45. Single-use/single-service articles: stored & used

IN 46. Slash resistant/cloth gloves used properly UTENSILS, EQUIPMENT AND VENDING

OUT 47. Food & non-food contact surfaces

- IN 48. Ware washing: installed, maintained, & used; test strips
- IN 49. Non-food contact surfaces clean
- PHYSICAL FACILITIES
- IN 50. Hot & cold water available; adequate pressure
- IN 51. Plumbing installed; proper backflow devices
- IN 52. Sewage & waste water properly disposed
- N 53. Toilet facilities: supplied, & cleaned
- N 54. Garbage & refuse disposal
- IN 55. Facilities installed, maintained, & clean
- IN 56. Ventilation & lighting
- IN 57. Permit; Fees; Application; Plans

This form serves as a "Notice of Non-Compliance" pursuant to section 120.695, Florida Statutes. Items marked as "out" violate one or more of the requirements of Chapter 64E-11, the Florida Administrative Code or Chapter 381.0072, Florida Statutes. Violations must be corrected within the time period indicated above. Continued operation of this facility without making these corrections is a violation. Failure to correct violations in the time frame specified may result in enforcement action being initiated by the Department of Health.

Violations Comments

Violation #47. Food & non-food contact surfaces Observed gas oven PC 1004109 out of order. Repair gas oven. W.O # 4424854. Observed electric serving Line PC 1004105. Repair serving line. W.O # 4424687. CODE REFERENCE: 64E-11.003(4). Equipment and utensils must be properly designed, constructed, and in good repair.

General Comments

| Inspector Signature: | | | Client Signature: |
|----------------------|-------|-------------|---|
| CM | | | rex |
| Form Number: DH 4023 | 03/18 | 13-48-02412 | Hadley, Charles R. Elementary/ Loc.# 2331 |



Inspection report emailed to Norma Lopez-Cao on 04/05/2024.

Digital thermometer model Thermapen ONE was used during the inspection.

Temperatures taken: Handwashing sink:114°F. Three compartment sink:119°F. Mop sink: 120°F. Walk-in refrigerator:37°F. Walk-in freezer:5°F. Reach-in refrigerator:39°F. Chicken nuggets / oven: 145°F. Sweet potatoes / oven: 148°F. Milk / milk box: 39°F. Cheese / walk-in refrigerator: 40°F. Sanitize solution (SFS17) : 200 ppm.

Email Address(es): nlopez-cao@dadeschools.net; jschneider@dadeschools.net; 308056@dadeschools.net; mwertz@dadeschools.net; ipalacio@dadeschools.net; wcabrera@dadeschools.net

Inspector Signature:

CM

Client Signature:

5

Form Number: DH 4023 03/18

13-48-02412 Hadley, Charles R. Elementary/ Loc.# 2331



Inspection Conducted By: Cesar Martinez (085423) Inspector Contact Number: Work: (305) 623-3500 ex. Print Client Name: Date: 4/5/2024

Inspector Signature:

CM

Client Signature:



Form Number: DH 4023 03/18

13-48-02412 Hadley, Charles R. Elementary/ Loc.# 2331