

STATE OF FLORIDA
DEPARTMENT OF HEALTH
COUNTY HEALTH DEPARTMENT
FOOD SERVICE
INSPECTION REPORT



Facility Information

RESULT: Satisfactory

Permit Number: 13-48-02412
 Name of Facility: Hadley, Charles R. Elementary/ Loc.# 2331
 Address: 8400 NW 7 Street
 City, Zip: Miami 33126

 Type: School (more than 9 months)
 Owner: MDCPS
 Person In Charge: Belkys Garcia Phone: (786) 275-0400
 PIC Email: 308056@dadeschools.net

Inspection Information

Purpose: Routine	Number of Risk Factors (Items 1-29): 0	Begin Time: 08:30 AM
Inspection Date: 2/14/2025	Number of Repeat Violations (1-57 R): 0	End Time: 09:30 AM
Correct By: Next Inspection	Facility Grade: N/A	
Re-Inspection Date: None	Stop Sale: No	

Marking Key: IN=the act or item was observed to be in compliance; OUT=the act or item was observed to be out of compliance; NO=the act or item was not observed to be occurring at the time of inspection; NA=the act or item is not performed by the facility; COS=violation corrected on site; R=repeat violation from previous inspection

FoodBorne Illness Risk Factors And Public Health Interventions

SUPERVISION

- IN** 1. Demonstration of Knowledge/Training
- IN** 2. Certified Manager/Person in charge present

EMPLOYEE HEALTH

- IN** 3. Knowledge, responsibilities and reporting
- IN** 4. Proper use of restriction and exclusion
- IN** 5. Responding to vomiting & diarrheal events

GOOD HYGIENIC PRACTICES

- IN** 6. Proper eating, tasting, drinking, or tobacco use
- IN** 7. No discharge from eyes, nose, and mouth

PREVENTING CONTAMINATION BY HANDS

- IN** 8. Hands clean & properly washed
- IN** 9. No bare hand contact with RTE food
- IN** 10. Handwashing sinks, accessible & supplies

APPROVED SOURCE

- IN** 11. Food obtained from approved source
- NO** 12. Food received at proper temperature
- IN** 13. Food in good condition, safe, & unadulterated
- NA** 14. Shellstock tags & parasite destruction

PROTECTION FROM CONTAMINATION

- IN** 15. Food separated & protected; Single-use gloves

- IN** 16. Food-contact surfaces; cleaned & sanitized

- NO** 17. Proper disposal of unsafe food

TIME/TEMPERATURE CONTROL FOR SAFETY

- NO** 18. Cooking time & temperatures
- NO** 19. Reheating procedures for hot holding
- NO** 20. Cooling time and temperature
- IN** 21. Hot holding temperatures
- IN** 22. Cold holding temperatures
- IN** 23. Date marking and disposition

- NA** 24. Time as PHC; procedures & records

CONSUMER ADVISORY

- NA** 25. Advisory for raw/undercooked food

HIGHLY SUSCEPTIBLE POPULATIONS

- IN** 26. Pasteurized foods used; No prohibited foods

ADDITIVES AND TOXIC SUBSTANCES

- IN** 27. Food additives: approved & properly used
- IN** 28. Toxic substances identified, stored, & used

APPROVED PROCEDURES

- NA** 29. Variance/specialized process/HACCP

Inspector Signature:

CM

Client Signature:

Belkys

**STATE OF FLORIDA
DEPARTMENT OF HEALTH
COUNTY HEALTH DEPARTMENT
FOOD SERVICE
INSPECTION REPORT**



Good Retail Practices

SAFE FOOD AND WATER	
<u>NA</u> 30. Pasteurized eggs used where required	<u>NA</u> 46. Slash resistant/cloth gloves used properly
<u>IN</u> 31. Water & ice from approved source	UTENSILS, EQUIPMENT AND VENDING
<u>NA</u> 32. Variance obtained for special processing	<u>OUT</u> 47. Food & non-food contact surfaces
FOOD TEMPERATURE CONTROL	<u>IN</u> 48. Ware washing: installed, maintained, & used; test strips
<u>IN</u> 33. Proper cooling methods; adequate equipment	<u>IN</u> 49. Non-food contact surfaces clean
<u>NO</u> 34. Plant food properly cooked for hot holding	PHYSICAL FACILITIES
<u>NO</u> 35. Approved thawing methods	<u>IN</u> 50. Hot & cold water available; adequate pressure
<u>IN</u> 36. Thermometers provided & accurate	<u>IN</u> 51. Plumbing installed; proper backflow devices
FOOD IDENTIFICATION	<u>IN</u> 52. Sewage & waste water properly disposed
<u>IN</u> 37. Food properly labeled; original container	<u>IN</u> 53. Toilet facilities: supplied, & cleaned
PREVENTION OF FOOD CONTAMINATION	<u>OUT</u> 54. Garbage & refuse disposal
<u>IN</u> 38. Insects, rodents, & animals not present	<u>OUT</u> 55. Facilities installed, maintained, & clean
<u>IN</u> 39. No Contamination (preparation, storage, display)	<u>IN</u> 56. Ventilation & lighting
<u>IN</u> 40. Personal cleanliness	<u>IN</u> 57. Permit; Fees; Application; Plans
<u>IN</u> 41. Wiping cloths: properly used & stored	
<u>NO</u> 42. Washing fruits & vegetables	
PROPER USE OF UTENSILS	
<u>IN</u> 43. In-use utensils: properly stored	
<u>IN</u> 44. Equipment & linens: stored, dried, & handled	
<u>IN</u> 45. Single-use/single-service articles: stored & used	

This form serves as a "Notice of Non-Compliance" pursuant to section 120.695, Florida Statutes. Items marked as "out" violate one or more of the requirements of Chapter 64E-11, the Florida Administrative Code or Chapter 381.0072, Florida Statutes. Violations must be corrected within the time period indicated above. Continued operation of this facility without making these corrections is a violation. Failure to correct violations in the time frame specified may result in enforcement action being initiated by the Department of Health.

Violations Comments

<p>Violation #47. Food & non-food contact surfaces Observed Gas Steamer PC 1004134 is not working. Repair gas steamer. W.O #4499404. Observed hot serving line PC 1004102 is not working. Repair serving line .W.O # 4457181. Observed cold plate PC 1004103 is not working. Repair cold plate. W.O # 4499199. Observed Continental 2 door reach-in refrigerator PC 1004136 is out of order. Repair 2 door reach-in refrigerator. W.O # 4499400. CODE REFERENCE: 64E-11.003(4). Equipment and utensils must be properly designed, constructed, and in good repair.</p>
<p>Violation #54. Garbage & refuse disposal Observed open lids at garbage dumpster. Close lids to prevent vector harborage. Observed missing drain plug at garbage dumpster. Provide drain plug. CODE REFERENCE: 64E-11.003(5). Garbage shall be disposed of to prevent vector harborage. Trash cans will be durable, cleanable, leak proof, insect and rodent resistant, and non-absorbent. Outside storage area shall be of a smooth, non-absorbent material and sloped to a drain.</p>
<p>Violation #55. Facilities installed, maintained, & clean Observed stained a/c vents above food preparation area. Clean and sanitize a/c vents. CODE REFERENCE: 64E-11.003(5). Floors, walls, and ceilings shall be smooth, durable, easily cleanable, and non-absorbent. Exterior areas shall be kept cleaned.</p>

General Comments

<p>Inspection report emailed to Norma Lopez-Cao on 02/14/2025.</p> <p>Digital thermometer model Thermapen ONE was used during the inspection.</p> <p>Temperatures taken: Handwashing sink:112°F. Three compartment sink:121°F. Mop sink: 115°F.</p>

Inspector Signature:

CM

Client Signature:

Bej

STATE OF FLORIDA
DEPARTMENT OF HEALTH
COUNTY HEALTH DEPARTMENT
FOOD SERVICE
INSPECTION REPORT



Walk-in refrigerator: 37°F.
Walk-in freezer: 5°F.
2 door reach-in refrigerator: 36°F.
Milk / milk box: 40°F.
Cheese / walk-in cooler: 39°F.
Green beans / oven: 178°F.
Veggie chicken / oven: 168°F.
Sanitize solution (SFS17) : 200 ppm.

Email Address(es): 308056@dadeschools.net;
nlopez@dadeschools.net;
jschneider@dadeschools.net;
mwertz@dadeschools.net;
ipalacio@dadeschools.net;
wcabrera@dadeschools.net;
edvelez@dadeschools.net

Inspector Signature:

CM

Client Signature:

By

STATE OF FLORIDA
DEPARTMENT OF HEALTH
COUNTY HEALTH DEPARTMENT
FOOD SERVICE
INSPECTION REPORT



Inspection Conducted By: Cesar Martinez (085423)
Inspector Contact Number: Work: (305) 623-3500 ex.
Print Client Name: Belkys Garcia
Date: 2/14/2025

Inspector Signature:

CM

Client Signature:

Belkys

Form Number: DH 4023 03/18

13-48-02412 Hadley, Charles R. Elementary/ Loc.# 2331